# HubSpot connection with ROGER365.io





Written by Erwin Wiegman

Version 1.0



## Index

High-level overview of the steps	. 3
Create a HubSpot private app	. 4
Cat Hubspat LIPL and Identity	c
Get HubSpot URL and Identity	. с
Create the ROGER365 to replicator	C



## **High-level overview of the steps**


The connection is made through the HubSpot API.

- 1) Create a HubSpot private app
- 2) Configure ROGER365.IO




## **Create a HubSpot private app**


Login to your HubSpot environment and go to the profile & preferences option in the user menu at the top left corner.








#### Choose Integrations > Private Apps to add a private app






Choose Create a private app and create a private app for ROGER365.io



The ROGER365.i app needs the following permissions to work correctly. You can save the app with create app button.

- crm.objects.companies (read permission)
- crm.objects.contacts (read permission)





### Create a new private app



You're about to create a new private app. This will generate an access token that can be used to view or update your HubSpot account data.

Be sure to **only share this token with those you trust** to safely access your HubSpot data. Do not share it on any public websites or store it in a public repository.

Continue creating

Cancel

**Choose Continue creating** 





# Your private app was created

pat-eu1-30235\*\*-\*\*\*\*-\*\*\*\*-\*\*\*\*\*\*\*

Show token | Copy

You can also find this access token on the Private apps homepage and the ROGER365.io app details page.


Go to app details

Click on Show token to enable the Copy button and copy the token to notepad.



## **Get HubSpot URL and Identity**

For the contact Url you need to retrieve some extra information from your HubSpot portal



We need the BaseUrl and the HubSpot Id from the url. In the example above these are:

Variable Value

BaseUrl https://app-eu1.hubspot.com


**HubSpot Id** 25685541

These values are needed for configuring the HubSpot contact Url in the replictor later on.



## Create the ROGER365.io replicator

After the private app is created the HubSpot replicator can be configured in ROGER365.io



Setting	Value
Entity	Contact or Accounts
Token	Token from the private app created earlier
Contact Url	For <b>entity contact</b> use the url syntax: < <baseurl>&gt;/contacts/&lt;<your hubspot="" id="">&gt;/contact/{SourceId}</your></baseurl>
	For example https://app-eu1.hubspot.com/contacts/25685541/contact/{SourceId}
	For <b>entity accounts</b> use the url syntax: < <baseurl>&gt;/contacts/&lt;<your hubspot="" id="">&gt;/company/{SourceId}</your></baseurl>
	For example https://app-eu1.hubspot.com/contacts/25685541/company/{SourceId}